



EXHIBIT 7

Part 2




M71614-001CSM-002 Chrysotile
Elongation @ 630X

2.5 μm



M71614-001CSM-002 Chrysotile
Crossed Polars @ 630X


2.5 μm



A polarized light micrograph showing several elongated, needle-shaped chrysotile fibers. The fibers exhibit characteristic double-belt structures with alternating light and dark bands. A white arrow points to a specific fiber. The background is a uniform light gray.


M71614-001CSM-002 Chrysotile
Polarizer out
Aperture Diaphragm 95% closed
1.560 R.I. @ 630X

2.5 μm




M71614-001CSM-003 Chrysotile
Parallel Dispersion 1.560 R.I. @ 100X
R.I. 1.568

25 μ m




M71614-001CSM-003 Chrysotile
Perpendicular Dispersion
R.I. 1.557 to 1.560

25 μm




M71614-001CSM-003 Chrysotile
Elongation @ 630X

2.5 μm



M71614-001CSM-003 Chrysotile
Crossed Polars @ 630X

2.5 μm




A polarized light micrograph showing numerous chrysotile fibers. The fibers appear as elongated, needle-shaped structures with varying degrees of birefringence, showing colors like blue, yellow, and brown. A white arrow points to a specific fiber in the upper left quadrant. The background is a uniform light blue.

M71614-001CSM-003 Chrysotile
Polarizer out
Aperture Diaphragm 95% closed
1.560 R.I. @ 630X




A horizontal scale bar with vertical end caps, indicating a length of 2.5 micrometers.

2.5 μm




M71614-001CSM-004 Chrysotile on Talc debris
Parallel Dispersion 1.560 R.I. @ 630X
R.I. 1.565 to 1.568

25 μ m




M71614-001CSM-004 Chrysotile on Talc debris
Perpendicular Dispersion
R.I. 1.560 to 1.564

25 μ m



M71614-001CSM-004 Chrysotile on Talc debris
Elongation @ 630X

2.5 μ m



M71614-001CSM-004 Chrysotile on Talc debris
Crossed Polars @ 630X

2.5 μm



M71614-001CSM-004 Chrysotile on Talc debris
Polarizer out
Aperture Diaphragm 95% closed
1.560 R.I. @ 630X

2.5 μm

MATERIALS ANALYTICAL SERVICES, LLC
PLM ANALYSIS

Proj#-Spl# M71614 - 001ISONY Analyst Paul Hess Date 2/28/2023
 ClientName Kazan, McClain, Satterley & Greenwood ClientSpl 1
 Location Johnson's Baby Power Bottle, 1.5 oz.
 Type_Mat _____
 Gross debris on filter % of Sample 100
 Visual _____ Temp ($\pm 1^{\circ}\text{C}$) 21

OPTICAL DATA FOR ASBESTOS IDENTIFICATION

Morphology			
Pleochroism			
Refract Index			
α / γ (nm)			
Sign^			
Extinction			
Birefringence			
Melt			
Fiber Name			

ASBESTOS MINERALS

EST. VOL. %

NO ASBESTOS OBSERVED

Chrysotile.....
 Amosite.....
 Crocidolite.....
 Tremolite/Actinolite.....
 Anthophyllite.....

OTHER FIBROUS COMPONENTS

Talc-fibrous ***

NON FIBROUS COMPONENTS

 Talc X
 Particulate X

Comments X = Materials detected. Analyzed for regulated Amphiboles. No regulated Amphiboles observed. ***Trace fibrous Talc observed.

TEM Analysis

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M71614-001		Grid Box #	8865	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	G. O. Area
Date of Analysis	2/28/2023		G. O. in microns =	108	108	11664
Initial Weight(g)	0.02122			108	108	11664
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11664
Scope No.	Accelerating Voltage	100 KV	Loading%	30%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm²			1.166

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	A1-A3							
NSD	A4							
NSD	A5							
NSD	A6							
NSD	A7							
NSD	A8							
NSD	A9							
NSD	B1							
NSD	B2							
NSD	B3							
NSD	B4							
NSD	B5							
NSD	B6							
NSD	B7							
NSD	B8							
NSD	B9							
NSD	B10							
NSD	C1							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	F1							
NSD	F2							
NSD	F3							
NSD	F4							
NSD	F5							
NSD	F6							
NSD	F7							
NSD	F8							
NSD	F9							
NSD	F10							
NSD	G1							
NSD	G2							
NSD	G3							
NSD	G4							
NSD	G5							
NSD	G6							
NSD	G7							
NSD	G8							
NSD	G9							
NSD	G10							
NSD	I3							
NSD	I4							
NSD	I5							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M71614-001		Grid Box #	8865	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	G. O. Area
Date of Analysis	2/28/2023		G. O. in microns =	108	108	11664
Initial Weight(g)	0.02122			108	108	11664
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11664
Scope No.	Accelerating Voltage	100 KV	Loading%	30%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm²			1.166

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	A2-A1							
NSD	A2							
NSD	A3							
NSD	A4							
NSD	A5							
NSD	A6							
NSD	A7							
NSD	A8							
NSD	A9							
NSD	A10							
NSD	B1							
NSD	B2							
NSD	B3							
NSD	B4							
NSD	B5							
NSD	B6							
NSD	B7							
NSD	B8							
NSD	C1							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	D1							
NSD	D2							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	F2							
NSD	F3							
NSD	F4							
NSD	F6							
NSD	F7							
NSD	F10							
NSD	H1							
NSD	H2							
NSD	H3							
NSD	H4							
NSD	H5							
NSD	I1							
NSD	I2							
NSD	I3							
NSD	I4							
NSD	I7							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M71614-001		Grid Box #	8865	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	G. O. Area
Date of Analysis	2/28/2023		G. O. in microns =	108	108	11664
Initial Weight(g)	0.02122			108	108	11664
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11664
Scope No.	Accelerating Voltage	100 KV	Loading%	30%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm²			1.166

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
--------	--------------	-----------	------------------	--------	-------	-------	------	-----

Org. Sample Wt.	Sample Wt. Post HL Separation	
0.02122	0.02122	g
Percent of Orig. Post Separation	100	(%)
Wt. Of Sample Analyzed	0.00001908	g
Filter size	1297	mm ²
Number of Structures Counted	0	Str.
Structures per Gram of Sample	<52,000	Str./g

Detection Limit	5.24E+04	Str./g
Analytical Sensitivity	5.24E+04	Str./g

Case 3:16-md-02738-MAS-PLS Document 33119-9 Filed 08/22/24 Page 20 of 51

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M71614-001		Grid Box #	8865	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	G.O. Area
Date of Analysis	2/28/2023		G. O. in microns =	108	108	11664
Initial Weight(g)	0.02122			108	108	11664
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11664
Scope No.	Accelerating Voltage	100 KV	Loading%	30%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm ²			1.166

Str. #	Grid Opening	Str./Asb. Type	Length	Width	Ratio	SAED	EDS
NSD	A1-A3					No fibrous talc observed	

Section 4

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M71614-000		Grid Box #	8860	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	G. O. Area
Date of Analysis	2/28/2023		G. O. in microns =	108	108	11664
Initial Weight(g)	N/A			108	108	11664
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11664
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm²			1.166

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	E9-B1							
NSD	B2							
NSD	B3							
NSD	B4							
NSD	B5							
NSD	B6							
NSD	B7							
NSD	B8							
NSD	B9							
NSD	B10							
NSD	C1							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	D1							
NSD	D2							
NSD	D3							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	D10							
NSD	G1							
NSD	G2							
NSD	G3							
NSD	G4							
NSD	G5							
NSD	G6							
NSD	G7							
NSD	G8							
NSD	G9							
NSD	G10							
NSD	H1							
NSD	H2							
NSD	H3							
NSD	H4							
NSD	H5							
NSD	H6							
NSD	H7							
NSD	H8							
NSD	H9							
NSD	H10							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M71614-000		Grid Box #	8860	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	G. O. Area
Date of Analysis	2/28/2023		G. O. in microns =	108	108	11664
Initial Weight(g)	N/A			108	108	11664
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11664
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm²			1.166

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	E10-A1							
NSD	A2							
NSD	A3							
NSD	A4							
NSD	A5							
NSD	A6							
NSD	A7							
NSD	A8							
NSD	A9							
NSD	A10							
NSD	B1							
NSD	B2							
NSD	B3							
NSD	B4							
NSD	B5							
NSD	B6							
NSD	B7							
NSD	B8							
NSD	B9							
NSD	B10							
NSD	C1							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	D1							
NSD	D2							
NSD	D3							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	D10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M71614-000		Grid Box #	8860	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	G. O. Area
Date of Analysis	2/28/2023		G. O. in microns =	108	108	11664
Initial Weight(g)	N/A			108	108	11664
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11664
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm²			1.166

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
--------	--------------	-----------	------------------	--------	-------	-------	------	-----

Org. Sample Wt.	Sample Wt. Post HL Separation
N/A	N/A
Percent of Orig. Post Separation	N/A (%)
Wt. Of Sample Analyzed	N/A g
Filter size	1297 mm ²
Number of Structures Counted	0 Str.
Structures per Gram of Sample	N/A Str./g


Detection Limit	N/A	Str./g
Analytical Sensitivity	N/A	Str./g


Case 3:16-md-02738-MAS-RLS Document 33119-9 Filed 08/22/24 Page 25 of 51
PageID: 234680

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M71614-000		Grid Box #	8860	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	G.O. Area
Date of Analysis	2/28/2023		G. O. in microns =	108	108	11664
Initial Weight(g)	N/A			108	108	11664
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11664
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm ²			1.166

Str. #	Grid Opening	Str./Asb. Type	Length	Width	Ratio	SAED	EDS
NSD	E9-B1					No fibrous talc observed	


Section 5









M71614-001



M71614-001
1







M71614-001
1



M71614-001





M71614-001

1



M71614-001

1

11219RA

TO USE: 1. Shake powder directly into your hand, away from the face, before smoothing onto the skin. 2. Close tightly after use, store in a cool, dry place.
PARA USAR: 1. Antes de aplicarlo sobre la piel, agitar el polvo directamente en la mano, lejos de la cara. 2. Cerrar bien después de usar, y guardar en un lugar fresco y seco.
INGREDIENTS: Talc*, Fragrance
*naturally derived ingredient
WARNING: Keep powder away from child's face to avoid inhalation, which can cause breathing problems. Avoid contact with eyes. For external use only. Close tightly after use. Keep out of reach of children. Do not use if quality seal is broken.



ADVERTENCIA: Mantener al tanto al niño de la cara del niño para evitar la inhalación, que puede causar problemas respiratorios. Evitar el contacto con los ojos. Para uso externo exclusivamente. Cerrar bien después de usar. Mantener fuera del alcance de los niños. No usar si el sello de seguridad está roto.

Distributed by/Distribuido por:
JOHNSON & JOHNSON
CONSUMER INC.
Skillman, NJ 08558 © JULIO 2018
www.johnsonsbaby.com
Talc. Made in China Talco hecho en China

30042926



M71614-001

1

M71614-001

1





M71614-001
1









Opened by
CT on
1/26/2023




M71614-001
1






Section 6




M71614-001CSM TALC
Parallel Dispersion 1.560 R.I. @ 100X
R.I. >1.595

25 μm




M71614-001 CSM TALC
Perpendicular Dispersion
R.I. < 1.550

25 μ m




M71614-001CSM TALC
Elongation @ 630X

2.5 μm




M71614-001 ISONY TALC
Parallel Dispersion 1.560 R.I. @ 100X
R.I. >1.600

25 μ m




M71614-001 ISONY TALC2
Perpendicular Dispersion
R.I. <1.550

25 µm




M71614-001ISONY TALC
Elongation @ 630X

2.5 μ m




M71614-001ISONY TALC2
Parallel Dispersion 1.560 R.I. @ 100X
R.I. >1.595

25 μm



M71614-001 ISONY TALC2
Perpendicular Dispersion
R.I. <1.550

25 µm



M71614-001 ISONY TALC2
Elongation @ 630X

2.5 μm